Printing date 09.03.2022 Version number 1 Revision: 09.03.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Chrom-Kobalt-Bonding

· Article number: 520 0032 0, 520 0032 1

· 1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

Application of the substance / the mixture:

· Application of the substance / the mixture: Opaquer for covering model castings.

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

bredent GmbH & Co.KG

Weißenhorner Straße 2

89250 Senden

Tel: +49 (0) 7309/872-0 Fax: +49 (0) 7309/872-24

· Further information obtainable from:

R & D

e-mail: R.D@bredent.com

· 1.4 Emergency telephone number: (001) 352 323 3500

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Remark

The device is a medical device pursuant to Council Directive 93/42/EEC of 14 June 1993 concerning medical devices. No safety data sheet is required for the device, so no claim is made to full compliance with the relevant statutory requirements.

· Classification according to Regulation (EC) No 1272/2008



Carc. 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

Medical products and medical devices within the meaning of Directives 90/385/EEC and 93/42/EEC used in an invasive manner or in direct contact with the body as well as medical products and medical devices falling under Directive 98/79/EC are fully exempt from the provisions of the CLP Regulation and therefore do not need to be classified, packaged or labelled.

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS08
- · Signal word Warning
- Hazard-determining components of labelling:

titanium dioxide

· Hazard statements

H351 Suspected of causing cancer. Route of exposure: Inhalation.

· Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

(Contd. on page 2)



GB

Printing date 09.03.2022 Version number 1 Revision: 09.03.2022

Trade name: Chrom-Kobalt-Bonding

(Contd. of page 1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
	titanium dioxide	50-100%
EINECS: 236-675-5	� Carc. 2, H351	
CAS: 1332-58-7	Kaolin	2.5-10%
	substance with a Community workplace exposure limit	
CAS: 18282-10-5	tin dioxide	1-5%
EINECS: 242-159-0	substance with a Community workplace exposure limit	
CAS: 1309-37-1	diiron trioxide	1-5%
EINECS: 215-168-2	substance with a Community workplace exposure limit	

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB

(Contd. on page 3)



Printing date 09.03.2022 Version number 1 Revision: 09.03.2022

Trade name: Chrom-Kobalt-Bonding

(Contd. of page 2)

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in dry conditions.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.

	· ·
· Ingredients with limi	it values that require monitoring at the workplace:
13463-67-7 titanium	dioxide
WEL (Great Britain)	Long-term value: 10* 4** mg/m³
	*total inhalable **respirable
1332-58-7 Kaolin	
WEL (Great Britain)	Long-term value: 2 mg/m³
18282-10-5 tin dioxid	de
WEL (Great Britain)	Short-term value: 4 mg/m³
	Long-term value: 2 mg/m³
	as Sn
1309-37-1 diiron trio	xide
WEL (Great Britain)	Short-term value: 10* mg/m³
	$I_{\text{ong torm value}} \cdot 5 * 10 * 4 * 4 * * mg/m^3$

WEL (Great Britain) Short-term value: $10* \text{ mg/m}^3$ Long-term value: $5*10**4*** \text{ mg/m}^3$ *fume (as Fe), **total respirable, ***respirable

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Suitable respiratory protective device recommended.
- · Protection of hands: Not required.
- · Eye protection: Not required.
- · **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Powder
Colour: Pink

Odour: Odourless
Odour threshold: Not determined.

· pH-value: Not applicable.

Change in condition

Melting point/freezing point: Undetermined.

(Contd. on page 4)





Printing date 09.03.2022 Version number 1 Revision: 09.03.2022

Trade name: Chrom-Kobalt-Bonding

	(Contd. of page
Initial boiling point and boiling range	: Undetermined.
Flash point:	Not applicable.
Flammability (solid, gas):	Not determined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not applicable.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solvent content:	
Organic solvents:	0.0 %
VOC (EC)	0,00 %
Solids content:	100.0 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity

Suspected of causing cancer. Route of exposure: Inhalation.

(Contd. on page 5)





Printing date 09.03.2022 Version number 1 Revision: 09.03.2022

Trade name: Chrom-Kobalt-Bonding

(Contd. of page 4)

- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
· Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

(Contd. on page 6)



Printing date 09.03.2022 Version number 1 Revision: 09.03.2022

Trade name: Chrom-Kobalt-Bonding

(Contd. of page 5)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS08
- · Signal word Warning
- Hazard-determining components of labelling:

titanium dioxide

· Hazard statements

H351 Suspected of causing cancer. Route of exposure: Inhalation.

· Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H351 Suspected of causing cancer.

- · Department issuing SDS: R & D
- · Contact: R & D
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
PDB: years Parsistent and years Bioaccumulative

vPvB: very Persistent and very Bioaccumulative

Carc. 2: Carcinogenicity – Category 2

* * Data compared to the previous version altered.

GB

