Printing date 09.03.2022

Version number 7

Revision: 09.03.2022

```
SECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
· Trade name: Wax-Lite
• Article number: 52001008
1.2 Relevant identified uses of the substance or mixture and uses advised against:
No further relevant information available.
· Application of the substance / the mixture: Wetting agent
• 1.3 Details of the supplier of the safety data sheet
· Manufacturer/Supplier:
 bredent GmbH & Co.KG
 Weißenhorner Straße 2
 89250 Senden
 Tel: +49 (0) 7309/872-0
 Fax: +49 (0) 7309/872-24
• Further information obtainable from:
 R \& D
 e-mail: R.D@bredent.com
• 1.4 Emergency telephone number: (001) 352 323 3500
 SECTION 2: Hazards identification
· 2.1 Classification of the substance or mixture
· Classification according to Regulation (EC) No 1272/2008
          flame
 Flam. Liq. 2 H225 Highly flammable liquid and vapour.
 Eye Irrit. 2 H319 Causes serious eye irritation.
 STOT SE 3 H336 May cause drowsiness or dizziness.
· 2.2 Label elements
· Labelling according to Regulation (EC) No 1272/2008
 The product is classified and labelled according to the CLP regulation.
· Hazard pictograms GHS02, GHS07
· Signal word Danger
· Hazard-determining components of labelling:
propan-2-ol
· Hazard statements
 H225 Highly flammable liquid and vapour.
 H319 Causes serious eve irritation.
 H336 May cause drowsiness or dizziness.
· Precautionary statements
 P210
                   Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
                   smoking.
                   Avoid breathing dust/fume/gas/mist/vapours/spray.
 P261
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with
                   water [or shower].
 P304+P340
                   IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
                   present and easy to do. Continue rinsing.
 P403+P233
                   Store in a well-ventilated place. Keep container tightly closed.
                   Store in a well-ventilated place. Keep cool.
 P403+P235
                                                                                          (Contd. on page 2)
                                                                                                        GB
```

Printing date 09.03.2022

Version number 7

Revision: 09.03.2022

Trade name: Wax-Lite

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-63-0 propan-2-ol Flam. Liq. 2, H225
 Eye Irrit. 2, H319; STOT SE 3, H336 EINECS: 200-661-7

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 3)



25-50%

(Contd. of page 1)

Printing date 09.03.2022

Version number 7

Revision: 09.03.2022

Trade name: Wax-Lite

(Contd. of page 2)

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:
- Do not eat, drink, smoke or sniff while working.

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

Butyl rubber, BR Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

GB

Printing date 09.03.2022

Version number 7

Revision: 09.03.2022

(Contd. of page 3)

GB

Trade name: Wax-Lite

· Penetration time of glove material

The penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6). The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

| General Information Appearance: | |
|--|---|
| Form: | Fluid |
| Colour: | According to product specification |
| Odour: | Characteristic |
| Odour threshold: | Not determined. |
| pH-value: | Not determined. |
| Change in condition | |
| Melting point/freezing point: | Undetermined. |
| Initial boiling point and boiling range: | 82 °C |
| Flash point: | 13 °C |
| Flammability (solid, gas): | Not applicable. |
| Ignition temperature: | 425 °C |
| Decomposition temperature: | Not determined. |
| Auto-ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product is not explosive. However, formation of explosive air vapour mixtures are possible. |
| Explosion limits: | |
| Lower: | 2.0 Vol % |
| Upper: | 12.0 Vol % |
| Vapour pressure at 20 °C: | 43 hPa |
| Density at 20 °C: | $0.94 \ g/cm^3$ |
| Relative density | Not determined. |
| Vapour density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| water: | Not miscible or difficult to mix. |
| Partition coefficient: n-octanol/water: | Not determined. |
| Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| Solvent content: | |
| Organic solvents: | 29.9 % |
| Water: | 67.8 % |



Printing date 09.03.2022

Version number 7

Revision: 09.03.2022

(Contd. of page 4)

Trade name: Wax-Lite

• 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must be specially treated adhering to official regulations.

(Contd. on page 6)



Version number 7

Revision: 09.03.2022

Trade name: Wax-Lite

Printing date 09.03.2022

(Contd. of page 5) Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

| SECTION 14: Transport information | |
|---|---|
| 14.1 UN-Number 4DR, IMDG, IATA | UN1219 |
| 14.2 UN proper shipping name ADR IMDG, IATA | 1219 ISOPROPANOL ISOPROPANOL |
| 14.3 Transport hazard class(es) ADR, IMDG, IATA | |
| Class Label | 3 Flammable liquids. 3 |
| 14.4 Packing group ADR, IMDG, IATA | Ш |
| 14.5 Environmental hazards: Marine pollutant: | No |
| 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category | Warning: Flammable liquids. 33 F-E,S-D B |
| 14.7 Transport in bulk according to Annex II o Marpol and the IBC Code | f Not applicable. |
| Transport/Additional information: | |
| ADR Limited quantities (LQ) Excepted quantities (EQ) | 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
| Transport category Tunnel restriction code | 2 D/E |
| IMDG Limited quantities (LQ) Excepted quantities (EQ) | 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
| UN "Model Regulation": | UN 1219 ISOPROPANOL, 3, II |

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 7)

GB



Printing date 09.03.2022

Version number 7

Revision: 09.03.2022

Trade name: Wax-Lite

| | (Contd. of page 6) |
|-----------------------|---|
| | ams GHS02, GHS07 |
| Signal word Da | nger |
| Hazard-determi | ining components of labelling: |
| propan-2-ol | |
| Hazard stateme | nts |
| H225 Highly fla | ummable liquid and vapour. |
| | rious eye irritation. |
| H336 May caus | e drowsiness or dizziness. |
| Precautionary s | statements |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P303+P361+P. | 353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with |
| D204 D240 | water [or shower]. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P305+P351+P. | 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |

Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.H319 Causes serious eye irritation.H336 May cause drowsiness or dizziness.

- Department issuing SDS: R & D
- *Contact: R* & *D*

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 · * Data compared to the previous version altered.